JOURNAL OF ZOOLOGY

Volume 246 Contents

Part 1, September 1998

Chiarello, A. G., Activity budgets and ranging patterns of the Atlantic forest maned sloth *Bradypus torquatus* (Xenarthra: Bradypodidae) 1

Chiarello, A. G., Diet of the Atlantic forest maned sloth *Bradypus torquatus* (Xenarthra: Bradypodidae) 11

Blackledge, T. A., Stabilimentum variation and foraging success in *Argiope aurantia* and *Argiope trifasciata* (Araneae: Araneidae) 21

Warburg, M. R. and Elias, R., The reproductive potential and strategy of *Scorpio maurus fuscus* (Scorpiones: Scorpionidae): anatomical clues in the ovariuterus 29

Ho, J.-S., Conradi, M. and López-González, P. J., A new family of cyclopoid copepods (Fratiidae) symbiotic in the ascidian (*Clavelina dellavallei*) from Cádiz, Spain 39

O'Riain, M. J. and Jarvis, J. U. M., The dynamics of growth in naked mole-rats: the effects of litter order and changes in social structure 49

Morris, P. A., Morris, M. J., MacPherson, D., Jefferies, D. J., Strachan, R. and Woodroffe, G. L., Estimating numbers of water vole *Arvicola terrestris*: a correction to the published method 61

Stewardson, C. L., Bester, M. N. and Oosthuizen, W. H., Reproduction in the male Cape fur seal *Arctocephalus pusillus pusillus*: age at puberty and annual cycle of the testis 63

Arad, Z., Goldenberg, S. and Heller, J., Short- and long-term resistance to desiccation in a minute litter-dwelling land snail *Lauria cylindracea* (Pulmonata: Pupillidae) 75

Fenton, M. B., Waterman, J. M., Roth, J. D., Lopez, E. and Fienberg, S. E., Tooth breakage and diet: a comparison of bats and carnivorans 83

Escot, C. and Granado-Lorencio, C., Morphology of the otoliths of *Barbus sclateri* (Pisces: Cyprinidae) 89

Jordaens, K., Backeljau, T., Ondina, P., Reise, H. and Verhagen, R., Allozyme homozygosity and phally polymorphism in the land snail *Zonitoides nitidus* (Gastropoda, Pulmonata) 95

Chopin, L. K., Amey, A. P. and Bennett, M. B., A systemic secondary vessel system is present in the teleost fish *Tandanus tandanus* and absent in the elasmobranchs *Carcharhinus melanopterus* and *Rhinobatos typus* and in the dipnoan *Neoceratodus forsteri* 105

Moore, S. J., Lill, C.A. and Sanson, G. D., Functional morphology of the gizzard of the domestic goose: design of an artificial gizzard 111

Moore, S. J., Use of an artificial gizzard to investigate the effect of grit on the breakdown of grass 119

Part 2, October 1998

Luiselli, L., Akani, G. C. and Capizzi, D., Food resource partitioning of a community of snakes in a swamp rainforest of south-eastern Nigeria 125

Thompson, D., Duck, C. D., McConnell, B. J. and Garrett, J., Foraging behaviour and diet of lactating female southern sea lions (*Otaria flavescens*) in the Falkland Islands 135

Serra-Cobo, J., Lacroix, G. and White, S., Comparison between the ecology of the new European frog *Rana pyrenaica* and that of four Pyrenean amphibians 147

Wood, C. J., Movement of bottlenose dolphins around the south-west coast of Britain 155

Adams, R. A., Evolutionary implications of developmental and functional integration in bat wings 165

Travaini, A., Donázar, J. A., Rodríguez, A., Ceballos, O., Funes, M., Delibes, M. and Hiraldo, F., Use of European hare (*Lepus europaeus*) carcasses by an avian scavenging assemblage in Patagonia 175

Owen-Smith, N., How high ambient temperature affects the daily activity and foraging time of a subtropical ungulate, the greater kudu (*Tragelaphus strepsiceros*) 183

Moolman, M., Bennett, N. C. and Schoeman, A. S., The social structure and dominance hierarchy of the highveld mole-rat *Cryptomys hottentotus pretoriae* (Rodentia: Bathyergidae) 193

Shine, R., Keogh, S., Doughty, P. and Giragossyan, H., Costs of reproduction and the evolution of sexual dimorphism in a 'flying lizard' *Draco melanopogon* (Agamidae) 203

Chung, K. C. and Woo, N. Y. S., Phylogenetic relationships of the Pomacanthidae (Pisces: Teleostei) inferred from allozyme variation 215

Gerlach, J., The behaviour and captive maintenance of the terrestrial nemertine (*Geonemertes pelaensis*) 233

Jones, M. E. and Stoddart, D. M., Reconstruction of the predatory behaviour of the extinct marsupial thylacine (*Thylacinus cynocephalus*) 239

ZSL Scientific Meetings: short reports 247

Part 3, November 1998

Rolando, A., Factors affecting movements and home ranges in the jay (*Garrulus glandarius*) 249

Twiss, S. D., Anderson, S. S. and Monaghan, P., Limited intra-specific variation in male grey seal (*Halichoerus grypus*) dominance relationships in relation to variation in male mating success and female availability 259

Disney, R. H. L., Weissflog, A. and Maschwitz, U., A second species of legless scuttle fly (Diptera: Phoridae) associated with ants (Hymenoptera: Formicidae) 269

Whitear, M. and Moate, R., Cellular diversity in the epidermis of *Raja clavata* (Chondrichthyes) 275

Measey, G. J., Diet of feral *Xenopus laevis* (Daudin) in South Wales, U.K. 287

Gray, S. J., Hurst, J. L., Stidworthy, R., Smith, J., Preston, R. and MacDougall, R., Microhabitat and spatial dispersion of the grassland mouse (*Mus spretus* Lataste) 299

Attwood, S. W., Kitikoon, V. and Southgate, V. R., *Neotricula aperta* (Gastropoda: Pomatiopsidae), the intermediate host of *Schistosoma mekongi*: allozyme variation and relationships between Khmer, Lao, and Thai populations 309
Selås, V., Does food competition from red fox (*Vulpes vulpes*) influence the breeding density of goshawk (*Accipiter gentilis*)? Evidence from a natural experiment 325
Schwartz, O. A., Armitage, K. B. and Van Vuren, D., A 32-year demography of yellow-bellied marmots (*Marmota flaviventris*) 337
Trout, R. C. and Smith, G. C., Long-term study of litter size in relation to population density in rabbits (*Oryctolagus cuniculus*) in Lincolnshire, England 347
Cuadrado, M., The influence of female size on the extent and intensity of mate guarding by males in *Chamaeleo chamaeleon* 351
Machado, G. and Oliveira, P. S., Reproductive biology of the neotropical harvestman (*Goniosoma longipes*) (Arachnida, Opiliones: Gonyleptidae): mating and oviposition behaviour, brood mortality, and parental care 359

Part 4, December 1998

Corp, N., Spalton, A. and Gorman, M. L., The influence of rainfall on range in a female desert ungulate: the Arabian oryx (*Oryx leucoryx*) in the Sultanate of Oman 369
Alibardi, L., Presence of acid phosphatase in the epidermis of the regenerating tail of the lizard (*Podarcis muralis*) and its possible role in the process of shedding and keratinization 379
Evans, A. R. and Sanson, G. D., The effect of tooth shape on the breakdown of insects 391
Koepfli, K.-P. and Wayne, R. K., Phylogenetic relationships of otters (Carnivora: Mustelidae) based on mitochondrial cytochrome *b* sequences 401
Shiel, C. B., Duvergé, P. L., Smiddy, P. and Fairley, J. S., Analysis of the diet of Leisler's bat (*Nyctalus leisleri*) in Ireland with some comparative analyses from England and Germany 417
Clarke, A. P. and Potts, W. T. W., Sodium, net acid and ammonia fluxes in freshwater-adapted European flounder (*Platichthys flesus* L.). Pharmacological inhibition and effects on gill ventilation volume 427
Clarke, A. P. and Potts, W. T. W., Isolated filament potentials and branchial ion fluxes in the European flounder (*Platichthys flesus* L.). Evidence for proton pump mediated sodium uptake 433
COMMUNICATIONS FROM THE MAMMAL SOCIETY – No. 77 443
DNA fingerprinting reveals high levels of genetic diversity within British populations of the introduced non-native grey squirrel (*Sciurus carolinensis*), by Z. K. DAVID-GRAY, J. GURNELL and D. M. HUNT, p. 443; Do emerging pipistrelle bats lose control of their timing due to 'crowd pressure'?, by J. R. SPEAKMAN and N. TALLACH, p. 445; Use of artificial water supplies by captive-born mountain gazelles (*Gazella gazella*) released in central Arabia, by K. M. DUNHAM, p. 449; Estimating the population density of *Galemys pyrenaicus* in four Spanish rivers, by C. NORES, F. OJEDA, A. RUANO, I. VILLATE, J. GONZÁLEZ, J. M. CANO and E. GARCÍA, p. 454; Summer foods of the Andean hog-nosed skunk (*Conepatus chinga*) in Patagonia, by A. TRAVAINI, M. DELIBES and O. CEBALLOS, p. 457; Fraser's dolphin (*Lagenodelphis hosei*) stranded in South Uist: first record in U.K. waters, by M. BONES, B. NEILL and B. REID, p. 460; Wing shape in New Zealand lesser short-tailed bats (*Mystacina tuberculata*), by P. I. WEBB, J. A. SEDGELEY and C. F. J. O'DONNELL, p. 462; The difficulty of estimating population densities of nocturnal forest mammals from transect counts of animals, by J. W. DUCKWORTH, p. 466; Cached fungi in non-native conifer forests and their importance for red squirrels (*Sciurus vulgaris* L.), by P. W. W. LURZ and A. B. SOUTH, p. 468; The denning behaviour of feral ferrets (*Mustela furo*) in a pastoral habitat, South Island, New Zealand, by J. R. RAGG, p. 471; The influence of public access and sett visibility on badger (*Meles meles*) sett disturbance and persistence, by S. JENKINSON and C. P. WHEATER, p. 478; Habitat use and diet of the American mink (*Mustela vison*) in Argentinian Patagonia, by A. PREVITALI, M. H. CASSINI and D. W. MACDONALD, p. 482